ELSEVIER

Hearing Research 140 (2000) 216–217

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 140

Afman, C.E., see Kaltenbach, J.A. (140) 165
Andéol, G., see Maison, S. (140) 111
Andersson, A., see Ekborn, A. (140) 38
Anniko, M., see Takumida, M. (140) 91
Araki, K., see Hoshino, T. (140) 145
Araki, S., see Hoshino, T. (140) 145
Avan, P., see Büki, B. (140) 202
Avan, P., Büki, B., Maat, B., Dordain, M. and Wit, H.P.
Middle ear influence on otoacoustic emissions. I: Noninvasive investigation of the human transmission apparatus and comparison with model results (140) 189

Brew, H.M., see Grigg, J.J. (140) 77
Büki, B., see Avan, P. (140) 189
Büki, B., Chomicki, A., Dordain, M., Lemaire, J.-J., Wit, H.P., Chazal, J. and Avan, P.
Middle-ear influence on otoacoustic emissions. II: Contributions of posture and intracranial pressure (140) 202

Carlyon, R.P.
Detecting coherent and incoherent frequency modulation (140) 173
Chazal, J., see Büki, B. (140) 202
Chomicki, A., see Büki, B. (140) 202
Collet, L., see Maison, S. (140) 111

Delb, W., see Zenk, J. (140) 157
Devau, G.
Glycine induced calcium concentration changes in vestibular type I sensory cells (140) 126
Dordain, M., see Avan, P. (140) 189
Dordain, M., see Büki, B. (140) 202

Ehrsson, H., see Ekborn, A. (140) 38
Ekborn, A., Laurell, G., Andersson, A., Wallin, I., Eksborg, S. and Ehrsson, H.
Cisplatin-induced hearing loss: influence of the mode of drug administration in the guinea pig (140) 38
Eksborg, S., see Ekborn, A. (140) 38

Faulstich, M. and Kössl, M.
Evidence for multiple DPOAE components based upon group delay of the $2f_1-f_2$ distortion in the gerbil (140) 99

Gallégo, S., see Maison, S. (140) 111
Gao, J., see Hoshino, T. (140) 145
Grigg, J.J., Brew, H.M. and Tempel, B.L.
Differential expression of voltage-gated potassium channel genes in auditory nuclei of the mouse brainstem (140) 77

Hardie, N.A., see Nishiyama, N. (140) 18
Hoshino, T., Mizuta, K., Gao, J., Araki, S., Araki, K., Takeshita, T., Wu, R. and Morita, H.
Cochlear findings in the white spotting (Ws) rat (140) 145

Ichimiya, I., see Suko, T. (140) 137
Iro, H., see Zenk, J. (140) 157

Javel, E. and Shepherd, R.K.
Electrical stimulation of the auditory nerve. III. Response initiation sites and temporal fine structure (140) 45

Kakigi, A., see Takeda, T. (140) 1
Kaltenbach, J.A., see Zhang, J.S. (140) 7
Kaltenbach, J.A. and Afman, C.E.
Hyperactivity in the dorsal cochlear nucleus after intense sound exposure and its resemblance to tone-evoked activity: a physiological model for tinnitus (140) 165
Kitano, H., see Takeda, T. (140) 1
Korada, S. and Schwartz, I.R.
Calcium binding proteins and the AMPA glutamate receptor subunits in gerbil cochlear nucleus (140) 23
Kössl, M., see Faulstich, M. (140) 99

Laurell, G., see Ekborn, A. (140) 38
Lemaire, J.-J., see Büki, B. (140) 202

Maat, B., see Avan, P. (140) 189
Maison, S., Micheyl, C., Andéol, G., Gallégo, S. and Collet, L.
Activation of medial olivocochlear efferent system in humans: influence of stimulus bandwidth (140) 111
Micheyl, C., see Maison, S. (140) 111
Miller, J.M., see Prieskorn, D.M. (140) 212
Mizuta, K., see Hoshino, T. (140) 145
Mogi, G., see Suko, T. (140) 137
Morita, H., see Hoshino, T. (140) 145

Nishiyama, N., Hardie, N.A. and Shepherd, R.K.
Neonatal sensorineural hearing loss affects neurone size in cat auditory midbrain (140) 18

Okada, T., see Takeda, T. (140) 1

Popa, R., see Takumida, M. (140) 91
Prieskorn, D.M. and Miller, J.M.
Technical report: chronic and acute intracochlear infusion in rodents (140) 212

Scheffler, D., see Zenk, J. (140) 157
Scheffler, P., see Zenk, J. (140) 157
Schwartz, I.R., see Korada, S. (140) 23
Shepherd, R.K., see Nishiyama, N. (140) 18
Shepherd, R.K., see Javel, E. (140) 45
Suko, T., Ichimiya, I., Yoshida, K., Suzuki, M. and Mogi, G.
Classification and culture of spiral ligament fibrocytes from mice (140) 137
Suzuki, M., see Suko, T. (140) 137

Takeda, S., see Takeda, T. (140) 1

PII: S0378-5955(00)00008-3

Takeda, T., Takeda, S., Kitano, H., Okada, T. and Kakigi, A.
Endolymphatic hydrops induced by chronic administration of vasopressin (140) 1
Takeshita, T., see Hoshino, T. (140) 145
Takumida, M., Anniko, M., Popa, R. and Zhang, D.M.
Lipopolysaccharide-induced expression of inducible nitric oxide synthase in the guinea pig organ of Corti (140) 91
Tempel, B.L., see Grigg, J.J. (140) 77

Wallin, I., see Ekborn, A. (140) 38
Wit, H.P., see Avan, P. (140) 189
Wit, H.P., see Büki, B. (140) 202
Wu, R., see Hoshino, T. (140) 145

Yoshida, K., see Suko, T. (140) 137

Zenk, J., Scheffler, D., Scheffler, P., Delb, W. and Iro, H.
The influence of noise on blood flow in the basilar artery (BA) – measurements with transcranial color-coded duplex sonography (TCCD) (140) 157
Zhang, D.M., see Takumida, M. (140) 91
Zhang, J.S. and Kaltenbach, J.A.
Modulation of spontaneous activity by acetylcholine receptors in the rat dorsal cochlear nucleus in vivo (140) 7

ELSEVIER

Hearing Research 140 (2000) 218–220

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 140

Afferent deprivation
Auditory system; Inferior colliculus; Neonatal deafness; Soma area (Nishiyama, N. (140) 18)

AMPA receptor
Cochlear nucleus; Calcium binding protein; Colocalization (Korada, S. (140) 23)

Atropine
Dorsal cochlear nucleus; Spontaneous activity; Carbachol; Muscarinic receptors; Rat; Cholinergic (Zhang, J.S. (140) 7)

Auditory nerve fiber
Electrical stimulation; Cochlear implant (Javel, E. (140) 45)

Auditory system
Afferent deprivation; Inferior colliculus; Neonatal deafness; Soma area (Nishiyama, N. (140) 18)

Kv channel; Gene expression; In situ hybridization; Shaker; Shaw (Grigg, J.J. (140) 77)

Bacterial lipopolysaccharide
Nitric oxide; Inducible nitric oxide synthase; Organ of Corti; Immunohistochemistry; Guinea pig (Takumida, M. (140) 91)

Bandwidth
Cochlea; Human; Medial olivocochlear Efferent; Noise; Otoacoustic emission (Maison, S. (140) 111)

Basilar artery
Cerebral blood flow; Cochlear blood flow; Transcranial color-coded duplex sonography; Noise exposure (Zenk, J. (140) 157)

Bolus injection
Intracochlear infusion; Osmotic pump; Hearing; Rodent (Prieskorn, D.M. (140) 212)

Calcium
N-Methyl-D-aspartate; Glycine; Vestibular sensory cell; Guinea pig (Devau, G. (140) 126)

Calcium binding protein
Cochlear nucleus; AMPA receptor; Colocalization (Korada, S. (140) 23)

Caldesmon
Cochlea; Immunocytochemistry; S-100 protein; Na-K-ATPase; Ultrastructure (Suko, T. (140) 137)

Carbachol
Dorsal cochlear nucleus; Spontaneous activity; Atropine; Muscarinic receptors; Rat; Cholinergic (Zhang, J.S. (140) 7)

Cerebral blood flow
Cochlear blood flow; Transcranial color-coded duplex sonography; Basilar artery; Noise exposure (Zenk, J. (140) 157)

Cholinergic
Dorsal cochlear nucleus; Spontaneous activity; Carbachol; Atropine; Muscarinic receptors; Rat (Zhang, J.S. (140) 7)

Cisplatin
Pharmacokinetics; Ototoxicity; Nephrotoxicity (Ekborn, A. (140) 38)

Cochlea
Bandwidth; Human; Medial olivocochlear Efferent; Noise; Otoacoustic emission (Maison, S. (140) 111)

Caldesmon; Immunocytochemistry; S-100 protein; Na-K-ATPase; Ultrastructure (Suko, T. (140) 137)

White spotting rat; Stria vascularis; Hair cell; Melanocyte (Hoshino, T. (140) 145)

Cochlear amplifier
Otoacoustic emission; Cochlear non-linearity; DPOAE (Faulstich, M. (140) 99)

Cochlear blood flow
Cerebral blood flow; Transcranial color-coded duplex sonography; Basilar artery; Noise exposure (Zenk, J. (140) 157)

Cochlear implant
Auditory nerve fiber; Electrical stimulation (Javel, E. (140) 45)

Cochlear non-linearity
Otoacoustic emission; Cochlear amplifier; DPOAE (Faulstich, M. (140) 99)

Cochlear nucleus
Plasticity; Spontaneous activity; Tinnitus; Noise-induced hearing loss; Noise-induced tinnitus (Kaltenbach, J.A. (140) 165)

AMPA receptor; Calcium binding protein; Colocalization (Korada, S. (140) 23)

Colocalization
Cochlear nucleus; AMPA receptor; Calcium binding protein (Korada, S. (140) 23)

PII: S0378-5955(00)00009-5

Distortion
Otoacoustic emission; Middle ear impedance; Stapedius reflex; Middle ear pressure (Avan, P. (140) 189)

Posture; Intracranial pressure; Otoacoustic emission; Middle-ear impedance; Hydrocephalus (Büki, B. (140) 202)

Dorsal cochlear nucleus
Spontaneous activity; Carbachol; Atropine; Muscarinic receptors; Rat; Cholinergic (Zhang, J.S. (140) 7)

DPOAE
Otoacoustic emission; Cochlear amplifier; Cochlear non-linearity (Faulstich, M. (140) 99)

Electrical stimulation
Auditory nerve fiber; Cochlear implant (Javel, E. (140) 45)

Endolymphatic hydrops
Vasopressin; Meniere's disease (Takeda, T. (140) 1)

Frequency modulation
Pitch; Perceptual asymmetry (Carlyon, R.P. (140) 173)

Gene expression
Auditory system; Kv channel; In situ hybridization; Shaker; Shaw (Grigg, J.J. (140) 77)

Glycine
N-Methyl-D-aspartate; Calcium; Vestibular sensory cell; Guinea pig (Devau, G. (140) 126)

Guinea pig
N-Methyl-D-aspartate; Glycine; Calcium; Vestibular sensory cell (Devau, G. (140) 126)

Nitric oxide; Inducible nitric oxide synthase; Bacterial lipopolysaccharide; Organ of Corti; Immunohistochemistry (Takumida, M. (140) 91)

Hair cell
Cochlea; White spotting rat; Stria vascularis; Melanocyte (Hoshino, T. (140) 145)

Hearing
Intracochlear infusion; Osmotic pump; Bolus injection; Rodent (Prieskorn, D.M. (140) 212)

Human
Bandwidth; Cochlea; Medial olivocochlear Efferent; Noise; Otoacoustic emission (Maison, S. (140) 111)

Hydrocephalus
Posture; Intracranial pressure; Otoacoustic emission; Distortion; Middle-ear impedance (Büki, B. (140) 202)

Immunocytochemistry
Caldesmon; Cochlea; S-100 protein; Na-K-ATPase; Ultrastructure (Suko, T. (140) 137)

Immunohistochemistry
Nitric oxide; Inducible nitric oxide synthase; Bacterial lipopolysaccharide; Organ of Corti; Guinea pig (Takumida, M. (140) 91)

In situ hybridization
Auditory system; Kv channel; Gene expression; Shaker; Shaw (Grigg, J.J. (140) 77)

Inducible nitric oxide synthase
Nitric oxide; Bacterial lipopolysaccharide; Organ of Corti; Immunohistochemistry; Guinea pig (Takumida, M. (140) 91)

Inferior colliculus
Afferent deprivation; Auditory system; Neonatal deafness; Soma area (Nishiyama, N. (140) 18)

Intracochlear infusion
Osmotic pump; Bolus injection; Hearing; Rodent (Prieskorn, D.M. (140) 212)

Intracranial pressure
Posture; Otoacoustic emission; Distortion; Middle-ear impedance; Hydrocephalus (Büki, B. (140) 202)

Kv channel
Auditory system; Gene expression; In situ hybridization; Shaker; Shaw (Grigg, J.J. (140) 77)

Medial olivocochlear Efferent
Bandwidth; Cochlea; Human; Noise; Otoacoustic emission (Maison, S. (140) 111)

Melanocyte
Cochlea; White spotting rat; Stria vascularis; Hair cell (Hoshino, T. (140) 145)

Meniere's disease
Vasopressin; Endolymphatic hydrops (Takeda, T. (140) 1)

Middle ear impedance
Otoacoustic emission; Distortion; Stapedius reflex; Middle ear pressure (Avan, P. (140) 189)

Middle ear pressure
Otoacoustic emission; Distortion; Middle ear impedance; Stapedius reflex (Avan, P. (140) 189)

Middle-ear impedance
Posture; Intracranial pressure; Otoacoustic emission; Distortion; Hydrocephalus (Büki, B. (140) 202)

Muscarinic receptors
Dorsal cochlear nucleus; Spontaneous activity; Carbachol; Atropine; Rat; Cholinergic (Zhang, J.S. (140) 7)

Na-K-ATPase
Caldesmon; Cochlea; Immunocytochemistry; S-100 protein; Ultrastructure (Suko, T. (140) 137)

Neonatal deafness
Afferent deprivation; Auditory system; Inferior colliculus; Soma area (Nishiyama, N. (140) 18)

Nephrotoxicity
Cisplatin; Pharmacokinetics; Ototoxicity (Ekborn, A. (140) 38)

Nitric oxide
Inducible nitric oxide synthase; Bacterial lipopolysaccharide; Organ of Corti; Immunohistochemistry; Guinea pig (Takumida, M. (140) 91)

***N*-Methyl-D-aspartate**
Glycine; Calcium; Vestibular sensory cell; Guinea pig (Devau, G. (140) 126)

Noise
Bandwidth; Cochlea; Human; Medial olivocochlear Efferent; Otoacoustic emission (Maison, S. (140) 111)

Noise exposure
Cerebral blood flow; Cochlear blood flow; Transcranial color-coded duplex sonography; Basilar artery (Zenk, J. (140) 157)

Noise-induced hearing loss
Plasticity; Spontaneous activity; Tinnitus; Cochlear nucleus; Noise-induced tinnitus (Kaltenbach, J.A. (140) 165)

Noise-induced tinnitus
Plasticity; Spontaneous activity; Tinnitus; Cochlear nucleus; Noise-induced hearing loss (Kaltenbach, J.A. (140) 165)

Organ of Corti
Nitric oxide; Inducible nitric oxide synthase; Bacterial lipopolysaccharide; Immunohistochemistry; Guinea pig (Takumida, M. (140) 91)

Osmotic pump
Intracochlear infusion; Bolus injection; Hearing; Rodent (Prieskorn, D.M. (140) 212)

Otoacoustic emission
Bandwidth; Cochlea; Human; Medial olivocochlear Efferent; Noise (Maison, S. (140) 111)

Distortion; Middle ear impedance; Stapedius reflex; Middle ear pressure (Avan, P. (140) 189)

Posture; Intracranial pressure; Distortion; Middle-ear impedance; Hydrocephalus (Büki, B. (140) 202)

Cochlear amplifier; Cochlear non-linearity; DPOAE (Faulstich, M. (140) 99)

Ototoxicity
Cisplatin; Pharmacokinetics; Nephrotoxicity (Ekborn, A. (140) 38)

Perceptual asymmetry
Frequency modulation; Pitch (Carlyon, R.P. (140) 173)

Pharmacokinetics
Cisplatin; Ototoxicity; Nephrotoxicity (Ekborn, A. (140) 38)

Pitch
Frequency modulation; Perceptual asymmetry (Carlyon, R.P. (140) 173)

Plasticity
Spontaneous activity; Tinnitus; Cochlear nucleus; Noise-induced hearing loss; Noise-induced tinnitus (Kaltenbach, J.A. (140) 165)

Posture
Intracranial pressure; Otoacoustic emission; Distortion; Middle-ear impedance; Hydrocephalus (Büki, B. (140) 202)

Rat
Dorsal cochlear nucleus; Spontaneous activity; Carbachol; Atropine; Muscarinic receptors; Cholinergic (Zhang, J.S. (140) 7)

Rodent
Intracochlear infusion; Osmotic pump; Bolus injection; Hearing (Prieskorn, D.M. (140) 212)

S-100 protein
Caldesmon; Cochlea; Immunocytochemistry; Na-K-ATPase; Ultrastructure (Suko, T. (140) 137)

Shaker
Auditory system; Kv channel; Gene expression; In situ hybridization; Shaw (Grigg, J.J. (140) 77)

Shaw
Auditory system; Kv channel; Gene expression; In situ hybridization; Shaker (Grigg, J.J. (140) 77)

Soma area
Afferent deprivation; Auditory system; Inferior colliculus; Neonatal deafness (Nishiyama, N. (140) 18)

Spontaneous activity
Plasticity; Tinnitus; Cochlear nucleus; Noise-induced hearing loss; Noise-induced tinnitus (Kaltenbach, J.A. (140) 165)

Dorsal cochlear nucleus; Carbachol; Atropine; Muscarinic receptors; Rat; Cholinergic (Zhang, J.S. (140) 7)

Stapedius reflex
Otoacoustic emission; Distortion; Middle ear impedance; Middle ear pressure (Avan, P. (140) 189)

Stria vascularis
Cochlea; White spotting rat; Hair cell; Melanocyte (Hoshino, T. (140) 145)

Tinnitus
Plasticity; Spontaneous activity; Cochlear nucleus; Noise-induced hearing loss; Noise-induced tinnitus (Kaltenbach, J.A. (140) 165)

Transcranial color-coded duplex sonography
Cerebral blood flow; Cochlear blood flow; Basilar artery; Noise exposure (Zenk, J. (140) 157)

Ultrastructure
Caldesmon; Cochlea; Immunocytochemistry; S-100 protein; Na-K-ATPase (Suko, T. (140) 137)

Vasopressin
Endolymphatic hydrops; Meniere's disease (Takeda, T. (140) 1)

Vestibular sensory cell
N-Methyl-D-aspartate; Glycine; Calcium; Guinea pig (Devau, G. (140) 126)

White spotting rat
Cochlea; Stria vascularis; Hair cell; Melanocyte (Hoshino, T. (140) 145)